

Computer Equipment

Section Index

Computer Equipment

Personal Computers	72
- Notebook PCs	72
- Desktop PCs	73
- Microsoft Software	73

Workstations & Servers	74
- UNIX Workstations & Servers	74
- Intel Based Workstations & Servers	74

Printers & Peripherals	75
- Monitors & Projectors	75



Oltre 3.000
differenti tipi di
prodotti

Personal Computers

Notebook PCs

	Processor	Speed MHz	Standard Memory ①	Hard Drive	CD-ROM	3.5" Disk			PCMCIA		Std Colour Display Controller	Display Size	Maximum Display Resolution
						Type II	Type III	IDE-1 Port	Sound Capable	ISA Expansion			
Compaq													
Armada E500 6700-128-12	Pentium III	700	128MB	12GB	x24	●	2	1	v1.1	●	XGA TFT	14"	1024 x 768 x 65k
Armada M700 600	Pentium III	600	256MB	12GB	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Dell													
Latitude D600-M5	Pentium M	2000	768MB	60GB	DVD/CD-RW	●	2	1	v1.1	●	SXGA TFT	14.1"	1024 x 768 x 65k
Latitude D600-M1	Pentium M	1600	512MB	40GB	DVD/CD-RW	●	2	1	v1.1	●	SXGA TFT	14.1"	1024 x 768 x 65k
Latitude D600-M7	Pentium M	1600	256MB	30GB	DVD/CD-RW	●	2	1	v1.1	●	SXGA TFT	14.1"	1024 x 768 x 65k
Latitude D600-M3	Pentium M	1400	512MB	40GB	DVD/CD-RW	●	2	1	v1.1	●	SXGA TFT	14.1"	1024 x 768 x 65k
Latitude C640-M1	Pentium 4	1800	512MB	30GB	x24	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude C640-M2	Pentium 4	1800	512MB	20GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude C640-M3	Pentium 4	1800	512MB	20GB	x24	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude C610-M1	Pentium III	1200	512MB	40GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude C800-M1	Pentium III	850	128MB	20GB	10/24X	●	2	1	v1.1	●	XGA TFT	15"	1024 x 768 x 65k
Latitude C600-M4	Pentium III	850	256MB	10GB	10/24X	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude C600-M3	Pentium III	750	256MB	10GB	10/24X	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude CPx J650GT6	Pentium III	650	128MB	10GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude CPx J650GT4	Pentium III	650	256MB	30GB	10/24X	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude CPx J650GT2	Pentium III	650	256MB	6GB	10/24X	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude CPx J650GT	Pentium III	650	128MB	6GB	10/24X	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude CPx H500GT	Pentium III	500	128MB	6GB	10/24X	●	2	1	v1.1	●	XGA TFT	13.3"	1024 x 768 x 65k
Latitude CPx H500GT-M2	Pentium III	500	128MB	10GB	10/24X	●	2	1	v1.1	●	XGA TFT	13.3"	1024 x 768 x 65k
Latitude CPx H450GT-256	Pentium III	450	256MB	6.4GB	x24	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Latitude CPx H450GT	Pentium III	450	128MB	6.4GB	x24	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Hewlett Packard													
ZT3000-M1	Pentium M	1600	512MB	80GB	DVD+RW/CD-RW	●	2	1	v1.1	●	WXGA TFT	15.4"	1280 x 800
IBM													
ThinkPad T30-1.8G-M1	Pentium IV	1800	256MB	40GB	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Thinkpad T23-1.133G-M2	Pentium III	1133	512MB	30GB	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Thinkpad A22m-1G-M1	Pentium III	1000	128MB	30Gb	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Thinkpad A22p-1G-M1	Pentium III	1000	128MB	33Gb	CD-RW	●	2	1	v1.1	●	XGA TFT	15"	1024 x 768 x 65k
Thinkpad A21m-800M-M1	Pentium III	800	64MB	20GB	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Thinkpad T2092	Pentium III	750	128MB	20GB	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Thinkpad T2081	Pentium III	700	128MB	12GB	DVD	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 65k
Toshiba													
Satellite Pro 6100-M3	Pentium IV	2000	256MB	60GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	15.0"	1024 x 768 x 16M
Satellite Pro 6100-M2	Pentium IV	1700	256MB	40GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	15.0"	1024 x 768 x 16M
Satellite Pro 6100-M1	Pentium IV	1700	256MB	30GB	DVD	●	2	1	v1.1	●	XGA TFT	15.0"	1024 x 768 x 16M
Tecra M1 P-M1	Centrino	1400	256MB	40GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 16M
Tecra 9000-1.2G-256-30	Pentium III	1200	256MB	30GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	14.1"	1024 x 768 x 16M
Satellite Pro 6000-M1	Pentium III	1060	256MB	20GB	DVD	●	2	1	v1.1	●	XGA TFT	15.0"	1024 x 768 x 16M
Satellite Pro 4600-M3	Pentium III	1000	256MB	20GB	DVD/CD-RW	●	2	1	v1.1	●	XGA TFT	15.1"	1024 x 768 x 16M

① Standard Memory is as configured by Microlease

Personal Computers

Desktop PCs


	Processor	Speed MHz	Standard Memory**	Hard Drive	CD-ROM	Standard Microlease Configuration						Std Colour Display Controller	Maximum Display Resolution	
						3.5" Disk	Network Ready (10/100Mbps)	Sound Capable	ISA Expansion	PCI Expansion	RJ-45/AUI			
Compaq														
D530-P4HT-2.8-1.0-60	Pentium 4HT	2800	1GB	60GB	x48	●	●	●	●	●	●	●	Intel Extreme 32 MB	1920 x 1440 x 16M
EVO D510-P4-2.4-512-40	Pentium 4	2400	512MB	40GB	x48	●	●	●	2	1	●	●	Intel Extreme 32 MB	1920 x 1440 x 16M
Dell														
GX270-P4-2.8-2G-120	Pentium IV	2800	2048MB	120GB	DVD/CD-RW	●	●	●	●	●	●	●	Intel Extreme Graphics 2 (64MB)	1600 x 1200 x 65k
GX270-P4-2.8-512-120	Pentium IV	2800	512MB	120GB	DVD/CD-RW	●	●	●	●	●	●	●	NVIDIA GX440 (64MB)	1600 x 1200 x 65k
GX240-P4-1.7-512-20	Pentium IV	1700	512MB	20GB	x48	●	●	●	●	●	●	●	ATI Rage 128 Ultra 16MB	1600 x 1200 x 65k
Optiplex GX150 SD866-5-20	Pentium III	866	512MB	20GB	x48	●	●	●	3	●	●	●	Direct AGP 4MB	1600 x 1200 x 65k
Hewlett Packard														
DC7100-M1	Pentium 4	3000	1.5Gb	80Gb	DVD ± RW/CD	●	●	●	2	●	●	●	NVIDIA Quadro NVS 280	1920 x 1440 x 16M

** Standard Memory is as configured by Microlease

If it's not listed, we'll probably buy it for you.

Microsoft Software

	Operating System			Version						
	Windows 98	Windows 2000	Windows XP	Standard Edition	Professional Edition	Word	Excel	Powerpoint	Access	Outlook
Microsoft										
OFFICE XP/2003	●	●	●	●	●	●	●	●	●	●
OFFICE XPSE	●	●	●	●	●	●	●	●	●	●
OFFICE 2KP	●	●	●	●	●	●	●	●	●	●



Con noi sarete sempre all'avanguardia!

Se non lo trovate qui elencato, possiamo cercarlo per Voi

Workstations & Servers

UNIX Workstations & Servers

	Series	Processor	Speed MHz	Standard Memory ①	Hard Drive	CD-ROM	3.5" Disk	Network Ready	Sound Capable	PCI Expansion	S-Bus Expansion	SCSI-II	Business Audio	Ports	Std Colour Display Controller	Maximum Display Resolution
Hewlett Packard																
RP5430-M1	HP9000	PA8700	2x 750	4Gb	4x 36Gb	•	•									
L1000-M1	HP9000	PA8500	2x 360	2Gb	9Gb, 4x 35Gb	•	•									
Sun Microsystems																
V880-M2	Sun Fire V880	UltraSPARC III	4x 1200	8Gb	6x 73Gb	•	•									
SB150-M3	Sun Blade 150	UltraSPARC III	650	256Mb	80Gb	•	•							PGX		
E450-4x400-4G	Enterprise 450	UltraSPARC II	4x 400	4.0Gb	4x 18Gb	•	•	•	•					PGX	1600 x 1000	
E250-2x400-2G	Enterprise 250	UltraSPARC II	2x 400	2.0Gb	4x 18Gb	•	•	•	•					PGX PCI	1600 x 1000	
Ultra60-2x360-256-18	Model 2360	UltraSPARC II	2x 360	256MB	2x 9GB	•	•	•	•					Elite 3D n3 Graphics	1280 x 1024	
Ultra10-360-512-18	Model 360	UltraSPARC III	360	512MB	2x 9GB	•	•	•	•					Elite 3D n3 Graphics	1280 x 1024	

① Standard Memory is as configured by Microlease

Intel Based Workstations & Servers

	Processor	Speed MHz	Standard Memory ①	Hard Drive	CD-ROM	Tape Drive	3.5" Disk	Network Ready	ISA	Expansion	Ports	Std Colour Display Controller	Maximum Display Resolution
Compaq													
DL580G2	Pentium Xeon 4	4 x 2GHz	8GB	4 x 73GB	x24		•	•		•	•	Video Graphics System	1280 x 1024
Proliant ML530 Server	Pentium III Xeon	2 x 866	1GB	3 x 18.2 GB	x16		•	•		•	•	Video Graphics System	1024 x 768 x 256
Proliant 6000 X-500-M1	Pentium III Xeon	2 x 500	1GB	5x9.1GB SCSI	x16		•	•	1	5	•	Video Graphics System	1024 x 768 x 256
Dell													
PowerEdge 2650 server	Pentium Xeon 4	3GHz	2GB	2 x 73GB	x24		•	•		•	•	Video Graphics System	1280 x 1024
PowerEdge 2600-M1	Pentium III Xeon	2x 1.8GHz	1GB	5x 18GB SCSI	x24		•	•		6	•	ATI-Rage XL 8MB	1024 x 768 x 16m
P450-M1	Intel Xeon	2.4GHz	1GB	2x 40GB IDE	DVD/CD-RW		•	•			•	128Mb nVidia QuadroFX 50	

① Standard Memory is as configured by Microlease

Printers & Peripherals

Monitors & Projectors

	Type	Size	Line Rate	Output Resolution	RGB	VGA	SVGA	XGA	MACII	Video	BNC	D-Type	Footnotes	Dimensions (cm) H x W x D	Weight (kg)
Eizo															
L565K	TFT LCD Flat Panel Monitor	17"	24.8 to 80kHz	1280 x 1024	•	•	•	•						42 x 38 x 18	6
Iiyama															
A102GT	Colour Monitor	21"	27 to 110kHz	1600 x 1200	•	•	•	•						53 x 51 x 57	36
Prolite 46B	TFT LCD Flat Panel Monitor	18.1"	24 to 80kHz	1280 x 1024	•	•	•	•						36 x 39 x 20	4
MF-8617E	Colour Monitor	17"	27 to 86kHz	1600 x 1200	•	•	•	•						43 x 42 x 42	21
MF-8617ETS	Colour Monitor	17"	27 to 86kHz	1600 x 1200	•	•	•	•				Touch Screen		43 x 42 x 42	21
NEC															
42 x M3	Plasma	42"		1600 x 1200	•	•	•	•						1.1 x 0.6 x 0.89	28
Sanyo															
PLC-XU10N	True XGA LCD Projector			1024 x 768	•	•	•	•						11 x 22 x 33	5
PLC-XU20N	True XGA LCD Projector			1024 x 768	•	•	•	•			1000 AnsiLumens			9 x 24 x 33	4
PLC5505	LCD Projector			800 x 600	•	•	•	•						15 x 30 x 46	8
PLC8815E	True XGA LCD Projector			1024 x 768	•	•	•	•						16 x 26 x 40	6

Prendete la tecnologia d'avanguardia!



Il rapido avanzamento tecnologico comporta un costante aggiornamento ed estensione della ns gamma di software e periferiche. Troverete tutta la ns recente strumentazione sul ns sito web - www.microlease.it

Potete sempre contattarci se desiderate che Vi troviamo un particolare strumento oppure necessitate di aiuto sulle specifiche e compatibilità di una unità.

Abbiamo tutte le più grandi marche, incluso:

- | | | |
|-----------------|----------------------|-------------|
| 3Com | Iomega | Pioneer |
| Adaptec | Kodak | Sanyo |
| Eizo | Lexmark | Sony |
| Epson | Madge | TDK |
| Hewlett-Packard | Microsoft | US Robotics |
| Iiyama | National Instruments | Viewsonic |
| Intel | NEC | Xircom |

Controllo perfetto!

